Attorney Docket No. 000505

REMARKS

Claims 13 - 31 are pending in the present application. No amendments have been

proposed. Reconsideration of the claims is respectfully requested in view of the following

discussion.

As to the Merits:

As to the merits of this case, the Examiner sets forth the following rejection:

claims 13 - 31 stand rejected under 35 U.S.C. § 103(a) as being unpatentable over

Roberts (U.S. Patent No. 5008,935) in view of the publication paper by Michael Portz,

title "On the Use of Interconnection Networks in Cryptography".

This rejection is respectfully traversed.

Independent claim 13 recites in a device for performing the Data Encryption Standard

(DES) on a block of data bits under control of a DES key, the combination with a modified "P"

permutation in the "f" function.

Independent claim 25 recites in a device for performing the "f" function of the Data

Encryption Standard (DES), the combination with a modified permutation means to produce a

modified permutation replacing the fixed permutation "P" of the DES.

Independent claim 27 recites a method for performing the Data Encryption Standard

(DES) on a block of data bits under control of a DES key, in combination with a modified "P"

permutation in the "f" function, comprising the step of: replacing the "P" permutation in the "f"

function by said modified permutation.

For example, as shown in Figure 3 of the present invention, there are important benefits

regarding the specific position of the modified P* permutation (136) which include the capability

to be backward compatible with the standard DES and its modes (e.g. OFB, ECB) and all its

variants such as triple DES as well as the immense number of individual cryptographic

algorithms stemming from the variations in the modified P and how they are generated and when

they are changed. Another advantage of the placement of the modified P in the present invention

is that the fundamental security features of DES are retained and expanded upon by the

tremendous variations created by the modified P permutation.

With regard to the primary reference of Roberts, the Examiner correctly acknowledges

that, "Roberts does not expressly disclose the modified permutation "P is actually inside the "f

function of the DES'." 1

That is, as clearly shown in Fig. 1 of Roberts, while each block encryptor 1 encrypts 8

bytes of using the DES algorithm, the permuter 11 fails to use the DES algorithm and instead,

merely takes the 256 byte output of the 32 block encryptors and permutes the 256 bytes in

conformance with a second key. See column 1, lines 54 - 63 of Roberts. In other words, the

permutation of Roberts is done after the primary encryption in the final step of his scheme.

In order to compensate for the above-noted drawbacks and deficiencies of the primary

reference of Roberts, the Examiner relies on the teaching of the secondary reference of Portz.

However, Portz also fails to disclose or fairly suggest the claimed features regarding

performing the Data Encryption Standard (DES) on a block of data bits under control of a DES

key, the combination with a modified "P" permutation in the "f" function.

That is, <u>Portz's</u> paper mentions the DES algorithm in the context of a cryptosystem that is

a generator of permutations, 1.1 lines 2-3. Portz also states, as the examiner points out in page

308 reference 2.3 "Virtual Interconnection Networks lines 5-6, "Cryptosystems like DES & RSA

¹ Please see, page 3, lines 8-10 of the Action.

usually describe sets of permutations on 2^{64} elements or 2^{512} elements respectively." However, as <u>Portz</u> states in the same paragraph line 2-5, "If one chooses the input size of an interconnection

network according to the security constraints normally put on cryptosystems, one cannot

establish the interconnection network physically any more." Therefore, Portz only describes a

means of implementing in a cryptosystem a general permutation with an interconnection network

such as Bennes. Where this permunation changes, it's switching can be governed by a control

sequence. No where does Portz disclose or fairly suggest the claimed features of an improved

DES with a variable P permutation in the f function.

Moreover, it is submitted that, even if, assuming arguendo, that the permuter 11 of

Roberts is modified with the teaching of Portz of a variable permutation, the present claimed

inventions would still not be taught since, as discussed above, the permuter 11 of Roberts fails to

modify the internal structure of the DES algorithm and instead, after the primary DES

encryption is performed and in the final step of his scheme, merely takes the 256 byte output of

the 32 block encryptors and permutes the 256 bytes in conformance with a second key.

As such, it is respectfully submitted that Roberts and Portz, singly or in combination, fail

to disclose or fairly suggest the features of independent claims 13, 25 and 27 concerning in a

device for performing the Data Encryption Standard (DES) on a block of data bits under control

of a DES key, the combination with a modified "P" permutation in the "f" function; in a device

for performing the "f" function of the Data Encryption Standard (DES), the combination with a

. . .

modified permutation means to produce a modified permutation replacing the fixed permutation

"P" of the DES; a method for performing the Data Encryption Standard (DES) on a block of

data bits under control of a DES key, in combination with a modified "P" permutation in the "f"

function, comprising the step of: replacing the "P" permutation in the "f" function by said

modified permutation, respectively.

With regard to claim 14, it is submitted that the permutation in Roberts performs a

different function and is in a different location than the modified P of the present invention, and

therefore a second key controlling the permutation in Roberts fails to constitute a second cipher

key to specify said modified "P" permutation, as called for in claim 14.

With regard to claim 21, it is submitted that while Portz may describe Benes networks

and cites Waxman's topology, Portz is silent with regard omega networks hence the combination

of Roberts and Portz does not disclose or fairly suggest the feature of claim 21 concerning said

logic gates comprise an Omega network.

With regard to claim 24, it is submitted that Roberts' disclosure of the first key and

second key (Col. 1, lines 54-63) which one assumes are independent, does not disclose the

features of claim 24 concerning deriving a DES key and a second cipher key from a single master

key.

. . .

With regard to claim 28, it is submitted that Roberts' disclosure of a second key (Col. 1,

lines 54-63) does not disclose the features of claim 28 of having the modified P permutation

depend upon a second cipher key.

With regard to claim 30, it is submitted that Roberts' disclosure of a second key (Col. 1,

lines 54-63) does not disclose the features of claim 30 of having the modified P permutation

depend upon a second cipher key which is a subset DES key and a second cipher key.

Further, with regard to dependent claims 14 – 24, 26 and 28 - 31, it is respectfully

submitted that these dependent claims are allowable by virtue of their respective dependency on

independent claims 13, 25 and 27.

In view of the aforementioned remarks, Applicants submit that that the claims are in

condition for allowance. Applicants request such action at an early date.

If the Examiner believes that this application is not now in condition for allowance, the

Examiner is requested to contact Applicants' undersigned attorney to arrange for an interview to

expedite the disposition of this case.

Response under 37 CFR 1.111 Serial No. 09/838,123 Attorney Docket No. 000505

If this paper is not timely filed, Applicants respectfully petition for an appropriate extension of time. The fees for such an extension or any other fees that may be due with respect to this paper may be charged to Deposit Account No. 50-2866.

Respectfully submitted,

WESTERMAN, HATTORI, DANIELS & ADRIAN, LLP

Attorney for Applicants
Registration No. 44,450
Telephone: (202) 822-1100

Facsimile: (202) 822-1111

TEB/jl